Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040218704"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 07:30
S2	18	tim\$3 near adjust\$4 SAME (clock and flip adj flop and latch and count)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:22
S3	16	tim\$3 near adjust\$4 SAME (clock and flip adj flop and latch and count) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:18
S4	26	tim\$3 near adjust\$4 SAME (clock and flip adj flop and latch and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/04/13 14:17
S5	2	disk and tim\$3 near adjust\$4 SAME (clock and flip adj flop and latch and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:15
S6	26	tim\$3 near adjust\$4 SAME (clock and flip adj flop and latch and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:52
S7	2	S6 and disk	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:41

				r		
S8	1	S6 and (binary near cod\$3 with output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:42
S9	34	(tim\$3 near adjust\$4 WITH index near signal) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:55
S10	12	(tim\$3 near adjust\$4 WITH index near signal same disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:13
S11	13	(tim\$3 near adjust\$4 SAME index near signal same disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:04
S12	5	(tim\$3 near adjust\$4 SAME (signal with pulse with rotation) same disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON ·	2007/04/13 09:04
S13	6	(tim\$3 near adjust\$4 WITH input near signal same disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:14
S14	10784	(disk and tim\$3 near adjust\$4) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:37

S15	331	S14 and (clock and flip adj flop and latch and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:26
S16	44	S15 and (compara\$4 and binary near cod\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON.	2007/04/13 09:50
S17		S6 and (compara\$4 and binary near cod\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:50
S18		tim\$3 near adjust\$4 SAME (latch with output near bit\$2 and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:56
S19	123	tim\$3 near adjust\$4 SAME (latch with bit\$2) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:56
S20	37	S19 and (clock and flip adj flop and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:57
S21	3	tim\$3 near adjust\$4 SAME (clock and flip adj flop and latch with binary and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 10:44

			. '			
S22	3	tim\$3 near adjust\$4 SAME (flip adj flop and latch with binary and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 10:45
S23	40	tim\$3 near adjust\$4 SAME (flip adj flop and latch and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:24
S24	13	tim\$3 near adjust\$4 SAME (flip adj flop and count\$3 and compara\$4 and convert\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 10:46
S25	2	S7 and (latch) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 10:48
S26	268	((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (flip adj flop and latch and count\$3)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:15
S27	. 39	(S26 and (d/a near convert\$3 and comparator) and clock near signal) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:39
S28	1	(S26 and (d/a near convert\$3 and comparator) and clock near signal and tim\$3 near adjust\$4 and disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:40

S29 ·	15	(S26 and (d/a near convert\$3 and comparator) and clock near signal and disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:41
S30	4	(S26 and ((d/a near convert\$3 and comparator) AND tim\$3 near adjust\$4)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:42
S31`	2	tim\$3 near adjust\$4 SAME ((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (flip adj flop and latch and count\$3)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:47
S32	32	(tim\$3 near adjust\$4 AND ((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (flip adj flop and latch and count\$3))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:12
S33	2	((tim\$3 near adjust\$4) SAME ((analog-to-digital near convert\$3 or a/d near convert\$3) AND (flip adj flop and latch and count\$3))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:13
S34	56	((analog-to-digital near convert\$3 or a/d near convert\$3) WITH (flip adj flop and latch and count\$3)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:33
S35	6	(S14 and (a/d near convert\$3 same (clock and flip adj flop and latch and count\$3))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:26

S36	6	(tim\$3 near adjust\$4 sane (a/d near convert\$3 and counter)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:38
S37	13	(tim\$3 near adjust\$4 and (a/d near convert\$3 same (flip near flop and count\$3 and latch and clock near signal))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:41
S38	42	((tim\$3 near (adjust\$4 or correct\$3 or control\$4)) and (a/d near convert\$3 SAME (flip near flop and count\$3 and latch and clock near signal))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:50
S39	10	((tim\$3 near (adjust\$4 or correct\$3 or control\$4)) SAME (a/d near convert\$3 and flip near flop and count\$3 and latch and clock near signal)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:56
\$40 <sub>.</sub>	707	((tim\$3 near (adjust\$4 or correct\$3 or control\$4)) SAME (a/d near convert\$3 and count\$3)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:59
S41	35	((tim\$3 near (adjust\$4 or correct\$3 or control\$4)) SAME (a/d near convert\$3 and count\$3) same disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:04
S42	35	((tim\$3 near (adjust\$4 or correct\$3 or control\$4)) WITH (a/d near convert\$3 and count\$3) AND disk) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:08

9/21/2007 2:20:36 PM C:\Documents and Settings\atimory\My Documents\EAST\Workspaces\10779845.wsp Page 6

S43	1	((disk AND tim\$3 near (adjust\$4 or correct\$3 or control\$4)) WITH (a/d near convert\$3 and count\$3)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:10
S44		((disk AND tim\$3 near (adjust\$4 or correct\$3 or control\$4)) SAME (a/d near convert\$3 and count\$3)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:10
S45	394	tim\$3 near (adjust\$4 or correct\$3 or control\$4) SAME (clock and flip adj flop and latch and count\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/04/13 14:18
S46	55	S45 and (a/d near convert\$3) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:18
S47	2	tim\$3 near adjust\$4 near apparatus near\$10 (a/d near converter and counter near circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:24
S48	0	tim\$3 near adjust\$4 near apparatus with (a/d near converter and counter near circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:24
S49	0	tim\$3 near adjust\$4 near apparatus SAME (a/d near converter and counter near circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:25

S50	1	disk same tim\$3 near adjust\$4 SAME (a/d near converter and counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:28
S51	8	disk AND tim\$3 near adjust\$4 SAME (a/d near converter and counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:30
S52	9	tim\$3 near adjust\$4 SAME (a/d near converter and counter) and video near signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:31
S53	505	((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (count\$3 and comparator and latch)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:00
S55	10784	((tim\$3 near adjust\$4 and disk)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:40
S56	4	(S53 and S55) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:39
S57	4	(S53 and (tim\$3 near adjust\$4 and disk)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:41

				·	r	
S58	32	(S53 and (tim\$3 near adjust\$4)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:41
S59		((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (count\$3 with (counter near clock near signal and reference near signal))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:05
S60	2	((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (count\$3 SAME (counter near clock near signal and reference near signal))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/04/13 15:05
S61	83	((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (count\$3 SAME (clock near signal and reference near signal))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/04/13 15:15
S62	1	((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (count\$3 SAME (clock near signal and reference near signal) and tim\$3 near adjust\$4)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:35
S63	32	((analog-to-digital near convert\$3 or a/d near convert\$3) SAME (count\$3 WITH (clock near signal and reference near signal))) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:17
S64	7	("3942173").PN. OR ("4143362"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/13 15:26
S65	. 3	("3541446"   "4143362").PN. OR ("4319226").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/13 15:32

S66	7	("3942173").PN. OR ("4143362"). URPN.	US-PGPUB; USPAT;	AND	ON	2007/04/13 15:33
S67	11	"4625241"	USOCR US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/15 12:16
S68	6	"4319226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/15 12:40
S69	9	"4496937"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 09:10
S70		"20020109620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ÄND	ON	2007/04/16 09:10
S71	840	count\$4 near4 (disk near rotation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 12:03
S72		count\$4 with ((n-bit\$2) and (disk near rotation) and select\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 12:25

		•				
S73	55	count\$4 with ((n-bit\$2) and (delay near3 output) and select\$4 and tim\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 07:49
S74	0	((analog-to-digital near convert\$) or (a/d) or (ADC)) SAME (count\$4 with ((n-bit\$2) and (delay near3 output) and select\$4 and tim\$4)) @ad<"20030226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:37
S75	Ś	((analog-to-digital near convert\$) or (a/d) or (ADC)) and (count\$4 with ((n-bit\$2) and (delay near3 output) and select\$4 and tim\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:38
S76	5	((analog-to-digital near convert\$4) or (a/d) or (ADC)) and (count\$4 with ((n-bit\$2) and (delay near3 output) and select\$4 and tim\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:39
S77	5	((analog-to-digital near convert\$4) or (a/d) or (ADC)) and (count\$4 with ((n-bit\$2) and (delay near3 output) and select\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:39
S78	114	((analog-to-digital near convert\$4) or (a/d) or (ADC)) and (count\$4 with ((n-bit\$2) and delay and output and select\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 09:07
S79	0	((analog-to-digital near convert\$4) or (a/d) or (ADC)) same (count\$4 with ((n-bit\$2) and delay and output and select\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:40

S80	2	"7272739"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 09:07
S81	1	"4745588" and (count\$4 and disk near rotation and n-bit and clock and signal and select\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 12:04
S82	4	count\$4 same ((n-bit\$2) and (disk near rotation) and select\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 12:25